Index

Nuclear Safety

Volume 6

Note: The page range for each of the four issues of Vol. 6 is as follows: No. 1, pages 1 to 110; No. 2, pages 111 to 230; No. 3, pages 231 to 316; and No. 4, pages 317 to 468.

A

Accelerators, radiation-exposure potential at ANL, 133
Accidents
  See also Explosions, Fires, Reactors . . ., Reactors, and Reactors . . .
  AEC operations during 1964, 451-4
  ecological effects of radiochemical plant, 80
  environmental radiation surveys following, 87-9
  HAPO, 349-50, 353
  nuclear ships, 120
  planning for, at ANL, 142
  radiation exposure to workers, 130
  radiochemical plants, 57-65
  reactor-fuel-recovery plant at Wood River Junction, 298-301
  statistics, 34-5
Actinium-227, in U^4-mill effluent, 282
Activated carbon, ignition, 276
  radioiodine removal from gases using, 276
Activated charcoal, methyl iodide removal from gases using, 275
Advisory Committee on Reactor Safeguards, evaluations concerning atmospheric contamination, 86
  design of engineered safeguards, 408
Aerospace
  See Space
Air
  See also Atmosphere and Gases
  cleaning of, from hot cells, 73
  leakage from rock chamber, 267-72
  monitoring at ORNL, 416-19
Alkali metals, fire extinguishment, 43
Alkali metals (molten), boiling, 176-7
Alloys, reactions with water in TREAT, 170-1
Aluminum, reaction with water in TREAT, 171
Aluminum bromide–aluminum chloride system (molten), burnout, pool-boiling, 152
Aluminum-nickel-plutonium reactor fuels (irradiated), testing in PRTR, 39
Aluminum oxide (platinized), radioiodine removal from oxidizing gases using, 277
Aluminum-plutonium alloys, ignition, 42
Aluminum-plutonium reactor fuels, use in thermal power reactors, 39
Aluminum-plutonium reactor fuels (irraidated), stability, 39
Aluminum-plutonium-uranium alloys, ignition, 42
Aluminum-titanium alloys, ignition, 43
Aluminum-uranium alloys, reaction with water in TREAT, 171
Aluminum-uranium intermetallic compounds, oxidation, 43
Aluminum–uranium octoxide compacts, Thermite reactions, 42
Aluminum–uranium octoxide dispersions, ignition, 41
Aluminum-uranium reactor fuels (irradiated), radioiodine release, 67-8
American Standards Association, nuclear standards, 1964 compilation, 354
  standards for casks, 250
Animal thyroid, monitoring for ^{131}I, 89, 214
Anion-exchange resins, radioiodine removal from air using, 277
Apollo, radiation shielding, 247-8
Arctic, ^{137}Cs and ^{90}Sr body burdens in natives, 130
Argentina, fission products in environs, 129
Argon-41, determination in air, 130
  measurement at CP-5 Reactor, 139
  release, from NRU Reactor, 129
    from NRX Reactor, 129
    from reactors, 129
Argonne National Laboratory, radiation-safety administration, 132-42
Asphalt, waste containment using, 129
Assay (bio-) program, ANL, 137
Atlantic Ocean, contamination, 129
Atmosphere
  See also Air and Stratosphere
  ^{41}Ar determination in, 130
  ^{14}C distribution in, 286
  ^{109}Cd distribution in, after Starfish shot, 286
  contamination, 382
    from power reactors, 81-7
    by U-mill effluent, 282-3
  fallout distribution in, 286-7
  gas movement in, 129
  gaseous waste disposal into, 438
  ^{131}I release to, 212-13
  ^{131}I transfer from, into food chain, 214-15
  ^{85}Kr in, source of, 129
  monitoring for ^{131}I, 89, 214
  pollution, by conventional power plants, 146-7
    in Scandinavia, 147-8
  radioisotope movement in, 129
  sampling for fallout, 283-4
Atomic energy, effects on society, 143-5
  uses, conference on peaceful, 111-31
Atomic Energy Commission, accidents in operations during 1964, 451-4
  radiation-exposure regulations, 32-3
  shipping regulations for irradiated reactor fuels, 119-20, 249-53
Atomic Energy Commission Manual, waste-disposal recommendations, 212
Atomic Safety Board, evaluations concerning atmospheric contamination, 86

B

Beef cattle, monitoring of thyroid for ^{131}I, 214
Beryllium, properties as reactor-fuel-cladding material, 124
Bibliographies, 108-9, 229, 467
Bioassay program, ANL, 137
Biology (radiation), development, 78-81
  in space, 247
Biphenyl
  See Diphenyl
Boric acid, use as reactor poison, 126
Boron carbide–stainless-steel (302B)–uranium dioxide dispersion reactor fuels (irradiated), damage in SM-1 Reactor, 39
Bromine-82, determination in water, 130
Burnout, 121, 152-60
  boiling heat transfer, 152-60
By-product material, licensing and regulation, 105, 107-8, 313

C

Cadmium-109, atmospheric distribution after Starfish shot, 286
Californium-254, decay, 31
Canada, reactor experience and practices, 119
  reactor-siting policies, 378
Cancer, atmospheric pollution effects, 147
Carbon (activated), ignition, 276
  radioiodine removal from gases using, 276
Carbon-14, atmospheric distribution, 286
Carbon-plutonium system, ignition, 42
Carbon-plutonium-uranium system, ignition, 42
Casks (shipping), 119-20, 249-53, 372-3
Cattle, monitoring of thyroid for ^{131}I, 214
Cells (hot), design, 72-4
  operation, 72-4
  radiation-exposure potential at ANL, 133
Cells (human)(irradiated), characteristics, 130
Cells (irradiation), radiation-exposure potential at ANL, 133
Cement, waste containment using, 129
Cerium-plutonium alloys, ignition, 42
Cesium, release from irradiated U and UO_2, 124

Cesium-137, body burdens in arctic natives, 130
contamination of marine environment, 129
distribution in soils in USSR, 129-30
emergency exposure to, 25
Cesium-138, measurement at CP-5 Reactor, 139
Charcoal, methyl iodide removal from gases using, 275-6
radioiodine removal from air using, 276
Chemical plants
See Radiochemical plants
Chemical reactions, reactor coolants, 118
Chromatography (gas), radioiodine measurement in gases using, 274
Chromium-51, licensing and regulation, 465
Chromium-nickel alloy–uranium dioxide dispersion reactor fuels (irradiated), damage, 39
Chromium-plutonium alloys, ignition, 42
Clathrate compounds, noble-gas capture by formation of, 129
Clinch River, waste disposal into, 89-91
Cobalt-plutonium alloys, ignition, 42
Cobalt radioisotopes, licensing and regulation, 465
Code of Federal Regulations, shipping of irradiated reactor fuels, 249-53
Command Module, radiation shielding, 247-8
Composite diffusion tubes, radioiodine measurement in gases using, 274
Computers, AIREK program development for KWEB, 393-4
use in reactor control, 125-6
Concrete, use, for hot-cell radiation shielding, 72
in reactor-containment structures, 194-201
Conferences, fallout from weapons tests, 283-9
Third International, on the Peaceful Uses of Atomic Energy, 111-31
two-phase flow, 152
Construction, power reactors, 119
Containment
See also Reactor containment
glove boxes, 73
hot cells, 73-4
radiochemical plants, 128
Containment Systems Experiment, construction, 118
fission-product-release experiments, 124
Contamination
See also Atomosphere, Fallout, Fission products, Materials (radioactive), and Radioisotopes
environmental, 78-94, 129
monetary loss from radiochemical-plant accidents, 59-62
Copper, methyl iodide removal from air using Ag-coated, 275
radioiodine removal from gases using, 276
Copper-plutonium-uranium alloys, ignition, 42
Corrosion, BR-5 steam generator, 130
Inconel, 177-8
property damage by air pollution in Sweden, 147
Cows, monitoring of thyroid for ^{131}I, 214
Critical assemblies, excursions, 413
radiation-exposure potential at ANL, 133
Critical facilities, HAPO, 350-1
Criticality, in shipping casks, 251-2
Criticality accidents, directional gamma sensor for excursion location, 46-9
reactor-fuel-recovery plant at Wood River Junction, 298-301
Crops, monitoring for ^{131}I, 214
Curium-248, maximum permissible concentration, 31

D

Dairy cows, monitoring of thyroid for ^{131}I, 214
Damage (property), by air pollution in Sweden, 147
Design, concrete reactor-containment structures, 194-201
Dounreay Reactor, 317-18
EBR-II, 318-19
fast reactors, 321, 325-31, 333-4
Fermi Reactor, 319-20
handling systems for gaseous wastes, 422-5
hot cells, 72-4
power reactors, 119
for space systems, 150-2
radiochemical plants, 59
reactor safety systems, 183-4, 231-45
safeguards, engineered, 408-11
Diffusion boards, radioiodine removal from gases using, 277
Diphenyl, burnout, pool-boiling, 154
Disease, atmospheric-pollution effects, 147
Dominic I Operation, fallout distribution, 284
Doppler coefficients, 321-2
Dosimeters
See Radiation dosimeters and Radiation dosimetry
Dowtherm A, burnout, pool-boiling, 152
Drosophila (irradiated), characteristics, 130
Ductwork, use in gaseous-waste-handling systems, 424-5

E

Ecology (radiation), development, 78-81
Economics, accident-incurred, in radiochemical plants, 59-62
concrete reactor-containment structures, 200-1
Indian Point Nuclear Power Station, 298
power reactors in Sweden, 145-6
siting of power reactors, 375-7
Electronics, reliability of components, 162
Engineered safeguards, design, 408-11
fission-product containment in reactors, 201-9
use, 219, 222
Engineering, organization at ANL, 133
reactor spray systems, 192-4
reliability, 162-4
safety, at ANL, 137
Eskimos, ^{137}Cs and ^{90}Sr body burdens, 130
Europe, radioactive materials, shipping regulations, 120
reactor-siting policies, 378
Explosions, glove boxes, 73
hot cells, 74
Export licenses, 313
Eye, maximum permissible dose to lens of, 26

F

Failure mechanisms, 162-3
Fallout
See also Contamination, Fission products, Materials (radioactive), and Radioisotopes
distribution in atmosphere, 286-7
ecological effects, 79-80
Fans, use in gaseous-waste-handling systems, 422-3
Federal Radiation Council, atmospheric contamination, recommendations limiting, 85
radiation dose and damage relation, 32
radiation-protection standards publications, 368-71
waste-disposal recommendations, 212
Fermium-256, decay, 31
Film badges, use at CP-5 Reactor, 140
Filters, use, in gaseous-waste-handling systems, 424
in hot cells, 73
in radioisotope removal from gases, 276-7
in reactor-containment systems, 118-207
Fire extinguishers, 43
Fires, casks, shipping, 372-3
hot cells, 74
Na, 118, 319
Fish, monitoring for ^{131}I, 214
Fission products
See also Contamination, Fallout, Materials (radioactive), Radioisotopes, and Wastes
in Argentine environs, 129
containment in reactors, 201-9
deposition, 118
detection of, from ruptured reactor fuels, 126-7
emission, 118
filtering, 118
in Italian environs, 129
release, from irradiated PuO_2-UO_2 reactor fuels, 167-8
from irradiated reactor fuels, 118
from irradiated U reactor fuels, 67, 124, 186
from irradiated UO_2 reactor fuels, 68, 124-5, 127-8, 165-6, 168-9, 186
from JPDR, 127
in reactor-containment structures, 186
from reactors, 124-5, 149
transport, 65-9, 118, 124-5
Florida, regulatory authority, 108
Fluid flow, 121-2
Fluoride salts (molten), corrosive effects, 177-8
Foam, radioiodine removal from gases using, 277
Food, ^{131}I transfer from atmosphere into, 214-15
monitoring for ^{131}I, 214
France, graphite-moderated gas-cooled reactors; maximum credible accidents in, 119
industrial uses of nuclear energy, 130
research and development, 118

G

Gamma radiation
See Radiation (gamma)
Gas chromatography, radioiodine measurement in gases using, 274
Gases
See also Fission products and Stacks
atmospheric movement, 129
I-compound removal from 68, 275-6
radioactive-particle removal from, 191-2
radioiodine removal from, 272-7
sealing ability of rock, 268-9
Gases (noble), capture by reaction with hydroquinones, 129
release from irradiated U and UO_2, 124
Gases (rare), release from irradiated UO_2 reactor fuels, 127-8
Genetics, radiation-induced effects, 22
Glass, use for hot-cell radiation shielding, 72-3
Glove boxes, explosions, 73
radiation-exposure potential at ANL, 133
sealing, 73
use at HAPO, 351
Graphite, oxidation, 40-1, 125
use in fire extinguishers, 43
Graphite (fueled), oxidation, 40-1
Graphite (irradiated), oxidation, 41
reaction with CO_2, 125
Grass (pasture), monitoring for ^{131}I, 214
Ground, ^{131}I release to, 213

H

Halogens, release from irradiated U and UO_2, 124
Hanford Atomic Products Operation, ^{131}I release and monitoring, 212-17
  radiation safety, 343-53
Health, 374
  factors affecting, 33
  radiation effects on, 32-3
Health physics, ANL, 135-42
  CP-5 Reactor, 138-41
  EBWR, 139
  Juggernaut Reactor, 139
Health Physics Control Center, operation at ORNL, 416-17
Heat, removal from casks, 252-3
Heat transfer, boiling, 121-2
  burnout in boiling, 152-60
  experiments concerning reactors, 171-9
Heater elements, reliability of electric, in power-reactor mock-ups, 162
Heredity, radiation effects on human, 130
High Radiation Level Examination Laboratory, containment, 73
Hopcalite, methyl iodide removal from CO_2 using, 275
Hot Cell Containment Facility, I behavior in, 69
Hot cells, design, 72-4
  operation, 72-74
  radiation-exposure potential at ANL, 133
Human beings, atmospheric-pollution effects on, 147-8
  ^{137}Cs body burdens in arctic, 130
  employed by ANL, 133
  exposure to ^{131}I, 214
  intake of radioiodine, 217
  neutron-differential-dose distribution in phantom, 130
  population distribution assumptions, 62
  radiation dosage in U. S., environmental, 128
  radiation dosimetry, 129-30
  radiation exposure, 21-31
    at CP-5 Reactor, 139
    at Indian Point Nuclear Power Station, 294
    internal, 129-30
    permissible limits, 148-50
    in reactor-fuel-recovery plant accident, 298-301
    in reactors, 131
  radiation monitoring at ANL, 135-7
  responsibilities at ANL, 133-5
  ^{90}Sr body burdens in arctic, 130
Human beings (irradiated), heredity, 130
Human cells (irradiated), characteristics, 130
Hydrodynamics, two-phase flow, 121-2
Hydrology, tracer use in, 93
Hydroquinones, noble-gas capture by reaction with, 129
Hygiene, at ANL, industrial, 137
  power reactors in Sweden, 145-6

I

Incidents
  See Accidents, Reactor ..., Reactors, and Reactors ...
Inconel, corrosion, 177-8
  thermal cycling, 177
Indexes, Third International Conference on the Peaceful Uses of Atomic Energy, 112-13
Indian Ocean, contamination, 129
Indium-115, maximum permissible concentration, 27
Industrial hygiene, ANL, 137
Industry, licensing of emission-producing, in Sweden, 146-7
  nuclear-energy uses in France, 130
Instrumentation, 408-20
  See also Radiation-detection instruments
  radiation safety, at ANL, 137, 141-2
  reactors, 126-7, 231-45, 260-5
  recording-equipment reliability, 162
Insurance, 108, 374-5
International Atomic Energy Agency, radioactive materials, shipping regulations, 120
  waste disposal into freshwater, recommendations concerning, 91
International Commission on Radiological Protection, 20-30, 32, 85, 148, 150, 212
Interstate Commerce Commission, shipping regulations for radioactive material, 249
Iodine, partition between air and water, 187-8
  solubility in alkaline solutions, 190
  transfer rates of molecular, 188-91
Iodine-125, licensing and regulation, 465
Iodine-131, concentration limits for release, 227
  emergency exposure, 25
  environmental surveys of, 88-9
  exposure of human beings to, 214
  licensing and regulation, 465
  monitoring, 212-17
  release, 149, 212-17
  removal from reactor-containment structures using sprays, 186-94
  transfer from atmosphere into food chain, 214-15
Iodine compounds, removal from gases, 68, 275-6
Iodine radioisotopes, deposition, 217
  forms, chemical and physical, 215-16
  intake by human beings, 217
  release, 65-9, 124, 127-8, 274-5
  removal from gases, 272-7
  stack monitoring, 216-17
Iron-plutonium alloys, ignition, 42
Iron-plutonium-uranium alloys, ignition, 42
Irradiation cells, radiation-exposure potential at ANL, 133
Isotopes, in marine organisms, 129
Isotopic power sources, 120-1
Italy, fission products in environs, 129

J

Jackrabbits, monitoring of thyroid for ^{131}I, 214
Japan, reactor-siting policies, 378

K

Kansas, regulatory authority, 108
Knudsen-cell effusion, radioiodine measurement in gases using, 274
Krypton-85, source of atmospheric, 129
Krypton-88, measurement at CP-5 Reactor, 139

L

Laboratory Emergency Control Center, operation at ORNL, 415-16
Lapps, ^{137}Cs body burdens, 130
Lead, use for hot-cell radiation shielding, 72
Lead-210, in U-mill effluent, 282
Lenin, operation, 120
Leukemia, radiation-induced, 21-2
Liability insurance, 108
Licensing and regulation
  See also Regulations
  Big Rock Point Reactor, 98, 100, 220, 222-3, 301-2, 456
  Bodega Bay Reactor, 98, 100
  BONUS, 98-100, 220, 223-4, 301-2, 304, 456
  BORAX-V, 100, 220, 302, 456
  by-product material, 105, 107-8, 313, 465-6
  changes, 105-8, 227-8, 311-14, 464-6
  Connecticut Yankee Reactor, 98-100, 220, 302, 456
  CVTR, 100, 220, 224, 302, 304, 454-6
  Dresden Reactor, 99-100, 102, 220, 302, 304-5, 455-6
  EBR-II, 100, 220, 302, 456
  EBWR, 100, 220, 302, 456
  EGCR, 100, 220, 302, 456
  Elk River Reactor, 100, 220, 302, 305, 455-6, 458
  export, 313
  Fermi Reactor, 100, 220, 224-5, 302, 456
  Hallam Reactor, 100, 220, 225, 302, 456
  Humboldt Bay Reactor, 100, 220, 302, 305, 456, 458-9
  Indian Point Nuclear Power Station, 100, 220, 225, 302, 305-6, 456, 459
  industry in Sweden, emission-producing, 146-7
  La Crosse Boiling Water Reactor, 101, 221, 303, 457
  Malibu Reactor, 101-3, 221, 303, 307, 457, 459
  New Production Reactor, 101, 221, 303, 457
  New York State, 313-14, 466
  Nine Mile Point Reactor, 101, 103, 221, 225-6, 303, 307-8, 457, 459-60
  N.S. *Savannah*, 101, 103-4, 221, 303, 308-9, 457, 460
  Oyster Creek Nuclear Power Station, 101, 104, 221, 226, 303, 309-11, 457, 460-1
  Pathfinder Reactor, 101, 104, 221, 303, 457, 461-3
  Peach Bottom Reactor, 101, 221, 226, 303, 311, 457, 463
  Piqua Reactor, 101, 104-5, 221, 303, 457
  power reactors, 98-105, 219-27, 301-11, 454-64
  production facilities, 107-8
  PWR, 101, 221, 303, 457
  San Onofre Nuclear Generating Station, 101, 105, 221, 303, 311, 457, 463
  Saxton Reactor, 101, 105, 221, 303, 457
  SEFOR, 457, 463-4
  source material, 107-8
  special nuclear material, 108
  SRE, 101, 221, 303, 457
  utilization facilities, 107-8
  VESR, 101, 221, 226-7, 303, 311, 457, 464
  Yankee Reactor, 101, 221, 303, 457
Liquids (organic), fire extinguishment using high-boiling, 43
Lithium, fire extinguisher for, 43
Loss-of-Flow Test, fission-product-release experiments, 124
  program, 118
Lunar Excursion Module, radiation shielding, 247-8
Lung, allowable industrial exposure, 60

M

Machine shops (hot), radiation-exposure potential at ANL, 133
Magnesium, fire extinguisher for, 43
Manganese-plutonium alloys, ignition, 42
Manned Orbiting Laboratory, radiation shielding, 247
Marine organisms, isotopes in, 129
Materials
  See also Reactor materials
  radiation effects in space, 247
Materials (by-product), licensing and regulation, 105, 107-8, 313, 465-6
Materials (radioactive)
  See also Contamination, Fallout, Fission products, Radioisotopes, and Wastes

Materials (radioactive) (Continued)
accidents involving, in AEC operations during 1964, 451-4
control at HAPO of fissile, 348, 351
handling, 371-4
radiation-exposure potential at ANL, 133
release, 78-94, 118, 128-30, 228
shipping regulations, 120
Materials (source), licensing and regulation, 107-8
Materials (special nuclear), licensing and regulation, 108
May Pack, radioiodine measurement in gases using, 273-4
radioiodine removal from PLUTO containment shell using, 275
Mercury, burnout, pool-boiling, 152
Metal (refractory)–uranium dioxide dispersion reactor fuels (irradiated), weld failure, 39-40
Metals, reactions with water in TREAT, 170-1
Metals (alkali), fire extinguishment, 43
Metals (alkali)(molten), boiling, 176-7
Meteorology, effects on stack plume rise, 1-18
Methyl iodide, removal from gases, 275-6
Mice (irradiated), characteristics, 130
Milk, monitoring for ^{131}I, 89, 214
Mills, waste disposal from U, 281-3
Mines, waste disposal from U, 281
Molybdenum-plutonium-uranium alloys, ignition, 42
Molybdenum-uranium alloys, oxidation, 43
Molybdenum-uranium reactor fuels (irradiated), behavior, 38-9
radioiodine release, 67
Monkeys (irradiated), characteristics, 130
Mutation, agents causing, 33-4

N

National Bureau of Standards, radioactive-materials-handling handbook, 371
National Committee on Radiation Protection and Measurements, atmospheric-contamination recommendations, 85
radiation-protection guides, 32
waste-disposal recommendations, 212
National Council on Radiation Protection, standards handbook, 371
National Reactor Testing Station, ^{131}I release and monitoring, 212-17
Neodymium-144, maximum permissible concentration, 27
Neutrons, differential-dose distribution in human phantoms, 130
New York State, regulatory authority, 313-14, 466
Nickel-plutonium alloys, ignition, 42
Niobium–uranium dioxide dispersion reactor fuels (irradiated), behavior, 39-40
Niobium-uranium-zirconium alloys, reactor with water in TREAT, 171
Niobium-zirconium alloys, properties as reactor-fuel-cladding material, 124
Noble gases, capture by reaction with hydroquinones, 129
release from irradiated U and UO_2, 124
North Carolina, regulatory authority, 108
Nuclear energy, effects on society, 143-5
uses, conference on peaceful, 111-31
Nuclear excursions, directional sensor for locating, 46-9
Nuclear Fuel Services Plant, 128
Nuclear plants, accidents in, 34-5
Nuclear power, public acceptance, 378-80
Nuclear Safety Pilot Plant, fission-product behavior in, 69, 118, 124
Nuclear ships, 120
Nuclear standards, compilation by American Standards Association in 1964, 354
Nuclear weapons, fallout from tests, conference on, 283-9

O

Oak Ridge National Laboratory, ^{131}I release and monitoring, 212-17
safety systems, 412-20
Oceans, contamination, 129
Oregon, regulatory authority, 466
Organic liquids, fire extinguishment using high-boiling, 43
Organisms (marine), isotopes in, 129
Orthoterphenyl, burnout, pool-boiling, 154

P

Pacific Ocean, contamination, 129
Packaging, radioactive materials, 371-4
Packed columns, radioiodine removal from gases using, 277
Particle accelerators, radiation-exposure potential at ANL, 133
Particles, removal of radioactive, from an atmosphere, 191-2
Pasture grass, monitoring for ^{131}I, 214
Phantoms (human), neutron-differential-dose distribution, 130
Physics (reliability), 162-4
Plants (nuclear), accidents in, 34-5
Plants (power), air pollution by conventional, 146-7
Plants (radiochemical)
See Radiochemical plants
Plowshare Project, 130
Plumes
See Stack plumes
Plutonium, control at HAPO, 348
ignition and oxidation, 42
Plutonium alloys, ignition, 42
Plutonium dioxide–uranium dioxide reactor fuels (irradiated), burnup, 167-9
performance, 123
Plutonium reactor fuels, fabrication plants, accident possibilities in, 57-65
Plutonium systems, ignition, 42
Plutonium-uranium alloys (irradiated), swelling, 124
Pollution
See Contamination
Polonium-210, in U-mill effluent, 282
Polyphenyls, burnout in boiling, 121
Polyurethane foam, fire extinguishment using, 43
Population, distribution assumptions for radiochemical-plant accidents, 62
Portsmouth Gaseous Diffusion Plant, directional gamma sensor, 46-9
Potassium (molten), boiling, 176-7
burnout, pool-boiling, 153
Potassium iodide, radioiodine removal from oxidizing gases using, 277
Power (nuclear), public acceptance, 378-80
Power Burst Facility, program, 111, 258-9
Power plants
See also Reactors (power)
air pollution by conventional, 146-7
SO_2 release, 149
Precipitation, effects on fallout, 288-9
Production facilities, licensing and regulation, 107-8
Property damage, by air pollution in Sweden, 147

R

Rabbits, monitoring of thyroid for ^{131}I, 214
Radiation, impact on society, 380-4
occurrences and control at HAPO, 349-50
Radiation (gamma), environmental, from deposited fission products, 284
Radiation biology, development, 78-81
in space, 247
Radiation-detection instruments, alpha, 74
gamma, 46-69
HAPO, 349
Radiation dosage, environmental, in U. S., 128
medical sources, 22-4
rate effects, 26
Radiation dosimeters, ^{41}Ar determination in air using thermoluminescent, 130
^{82}Br determination in water using thermoluminescent, 130
review of chemical, 130
use at CP-5 Reactor, 140
Radiation dosimetry, ANL, 135-7
human beings, 129-30
reactor-fuel-recovery plant accident at Wood River Junction, 300
Radiation ecology, development, 78-81
Radiation effects
See also Reactor fuels
Drosophila, 130
health, 32-3
human cells, 130
human heredity, 130
mice, 130
monkeys, 130
mutation, 33-4
Pu-U alloys, swelling of, 124
reactor materials, 123
society, 143-5
in space, 247
steel, embrittlement of, 118, 122-3
U, 123-4
Radiation Emergencies Steering Committee, recommendations, 414
Radiation exposure, 21-31
accidents in AEC operations during 1964, 451-4
CP-5 Reactor, 139
emergency, 24-5, 130
HAPO, 347-8, 353
Indian Point Nuclear Power Station, 294
internal, 129-30
monetary loss from radiochemical-plant accidents, 59-62
permissible limits, 24-31, 148-50
potential at ANL, 133
reactor-fuel-recovery plant accident, 298-301
in reactors, 131
short-term, 24-5
Radiation facilities, design at HAPO, 345-6
Radiation monitoring, ANL, 135-7, 140-2
atmosphere, 89, 214, 283-4
CP-5 Reactor, 140-1
^{131}I, 89, 212-17
ORNL, system at, 414-20
reactors, 126
SL-1 Reactor environs, 89
stacks, for radioiodine, 216-17
wastes, 416
Radiation protection, 20-30, 32-3, 85, 105, 148, 150, 212, 227-8, 246-9, 313
HAPO, 345, 349, 352-3
Radiation safety, ANL, 132-42
HAPO, 343-53
ORNL, 414-20
Radiation shielding, hot cells, 72-3
shipping casks, 251-2
in space, 247-9
Radiation sources, access at HAPO, 346-7
Radiation standards, publications by FRC and NCRP, 368-71
Radio, use in ORNL radiation-safety systems, 419-20
Radioactive tracers, use in hydrologic studies, 93

Radiochemical plants, accidents, 57-65, 80, 298-301
containment, 128
radiation monitoring at ORNL, 417-19
safety features, 128
Radiochemical separation, I-oxidation-state determination using, 274
Radioisotopes
See also Contamination, Fallout, Fission products, Materials (radioactive), and specific radioisotopes
atmospheric movement, 129
discharge into atmosphere, 382
distribution in soils in USSR, 129-30
inventory in radiochemical plants, 59
in marine organisms, 129
maximum permissible concentration, 26-31
processing plants, accident possibilities in, 57-65
Radium-223, in U-mill effluent, 282
Radium-226, concentration limits for release, 227
in U-mill effluent, 282
Radium radioisotopes, removal from U-mill effluent, 282
Rare gases, release from irradiated UO_2 reactor fuels, 127-8
Reactions (chemical), reactor coolants, 118
reactor materials, 41-3, 170-1
Reactivity, addition to fast reactors, 262
Reactor components, reliability, 161-2
steel, creep and fatigue of, 123
Reactor containment, 127, air leakage in underground, 267-72
concrete structures, 194-201
cooling systems, 205-9
design, 318-20
fast reactors, Na-cooled, 336
filter systems, 118, 207
graphite-moderated gas-cooled reactors in France, 119
Humboldt Bay, 445-6, 448
integral pressure vessels, 119
leak-rate testing, 69-72
multiple, 207, 209
program, 118
radioiodine release in, 68-9
radioiodine removal from, 186-94, 275-6
steel use in, 118, 122-3, 195
Reactor control, 408-20
computer use in, 125-6
fast reactors, 260-5
poison use in, 126
Reactor control rods, design for Na-cooled fast reactors, 321
drive failure in Dresden Reactor, 130-1, 183-4
drive failure in Indian Point Reactor, 131, 296
drives, 127
instrumentation, 126
loading accident in Latina Reactor, 131
operation of Humboldt Bay, 447
performance of systems, 49-54
thimble hydriding in SRE, 131
Reactor coolants, atmospheric contamination from, 84
boiling of Na, 172-3
boiling polyphenyls, burnout in, 121
burnout, 152-60
chemical reactions, 118
chemistry of water in Humboldt Bay Reactor, 450
condensing of Na, 172-3
cyclic thermal phenomena, 175-7
expulsion in water-cooled reactors, 121
loss, 118, 121, 131, 322-4, 334-6
Na fires, 118, 319
steam, for fast reactors, 333-4
use of wet, 173-4
transient boiling of water, 175
two-phase flow, 121-2
void effects of molten metals in fast reactors, 335
Reactor cooling systems, for containers, 205-9
design, 318-19
emergency, 54-5, 202-5, 425-31
failure in heavy-water-moderated gas-cooled reactors, 118
heat transfer, 121-2
JPDR, 127
operation, in Humboldt Bay Reactor, 446, 449
in Indian Point Nuclear Power Station, 297-8
power reactors, 127-8
pump failure, in Agesta Reactor, 130
in EBR-II, 130
shutdown, 55-6
spray use, 174-5, 205, 207, 209
valve malfunction in Big Rock Point Reactor, 222-3
water-cooled reactors, 127-8
Reactor cores, cooling systems, emergency, 202-5
design for fast reactors, 325-31, 334
dynamic-stress analysis of shells in KEWB, 390
fission-product transport following meltdown of, 65-9
operation of Humboldt Bay, 449-50
refueling of Humboldt Bay, 451
Reactor designs, siting effects on, 377
Reactor filters, use in containment systems, 118, 207
Reactor-fuel cladding, 119, 124
Reactor-fuel-processing plants, accident at Wood River Junction, 298-301
containment and safety features, 128
Reactor fuels, bubbles on, 321
design of Dounreay, 318
failure, 39, 131, 320
handling system for Indian Point Nuclear Power Station, 295-6
high-burnup, 321
integrity, 398-403
operation of 32-plate, in MTR, 39
performance, of Berkeley, 131
of Bradwell, 131
in power reactors, 123-4
reactions, 41-3, 170-1
ruptured, fission-product detection from, 126-7
supersaturation with H in KEWB, 391-2
transient effects on, in SPERT, 255-6
Reactor fuels (Al-base), integrity, 398-9
Reactor fuels (Al-Ni-Pu alloy)(irradiated), testing in PRTR, 39
Reactor fuels (Al-Pu alloy), use in thermal power reactors, 39
Reactor fuels (Al-Pu alloy)(irradiated), stability, 39
Reactor fuels (Al-U alloy), reaction with water in TREAT, 171
Reactor fuels (Al-U alloy)(irradiated), radioiodine release, 67-8
Reactor fuels (B_4C-S.S. 302B-UO_2 dispersion) (irradiated), damage in SM-1 Reactor, 39
Reactor fuels (carbide), integrity, 401-2
Reactor fuels (ceramic), integrity, 402
Reactor fuels (Cr-Ni alloy-UO_2 dispersion) (irradiated), damage, 39
Reactor fuels (graphite-base), integrity, 401
Reactor fuels (irradiated), atmospheric contamination from, 83-4
failure in SPERT, 257-8
fission-product release, 118
meltdown in TREAT, 169-70
shipping, 119-20, 249-53
Reactor fuels (Magnox-clad), fabrication, 123
Reactor fuels (Magnox-clad)(irradiated), shipping in U. K., 119-20
Reactor fuels (metallic), integrity, 399
Reactor fuels (Mo-U alloy)(irradiated), behavior, 38-9
radioiodine release, 67
Reactor fuels (Nb-UO_2 dispersion)(irradiated), behavior, 39-40
Reactor fuels (oxide, mixed-), integrity, 401
Reactor fuels (Pu), fabrication plants, accident possibilities in, 57-65
Reactor fuels (PuO_2-UO_2)(irradiated), burnup, 167-9
performance, 123
Reactor fuels (refractory metal-UO_2 dispersion) (irradiated), weld failure, 39-40
Reactor fuels (S.S.-UO_2 dispersion), integrity, 399
Reactor fuels (S.S.-UO_2 dispersion)(irradiated), failure of PM-1, 39
Reactor fuels (S.S. 347-UO_2 dispersion)(irradiated), swelling, 39
Reactor fuels (S.S. 347-UN dispersion)(irradiated), damage, 39
Reactor fuels (Th), bowing in SRE, 39
Reactor fuels (Th)(irradiated), stability, 39
Reactor fuels (Th-U carbide), oxidation, 40-1
Reactor fuels (U), fabrication plants, accident possibilities in, 57-65
integrity, 398
quality, 38
Reactor fuels (U) (irradiated), damage, 123-4
failure, 38
fission-product release, 67, 124, 186
Reactor fuels (UO_2), integrity, 399-401
Reactor fuels (UO_2)(irradiated), behavior, 123, 178-9
burnup, 164-9
fission-product release, 68, 124-5, 127-8, 165-6, 168-9, 186
meltdown in TREAT, 170
performance in CANDU and NPD Reactors, 123
thermal conductivity, 123
transient effects in SPERT, 255-6
Reactor fuels (U-Zr alloy)(irradiated), behavior, 38
Reactor heat exchangers, tube failure in Hallam, 130
Reactor instrumentation, 126-7, 162, 231-45, 260-5, 408-20
operation of Humboldt Bay, 446-7
Reactor Licensing Staff, evaluations concerning atmospheric contamination, 86
Reactor loops (out-of-pile), transients in pool reactors, 118
Reactor materials, reactions, 41-3
Reactor materials (irradiated), properties, 123
Reactor moderators, cladding failure in Hallam Reactor, 225
heavy-water boiling in Halden Boiling Water Reactor, 131
Reactor physics, Dounreay Reactor, 320
fast reactors, 337
startup of Indian Point Nuclear Power Station, 295
Reactor poisons, reactor control using, 126
Reactor pressure tubes, failure in heavy-water-moderated gas-cooled reactors, 118
Reactor pumps, failure, in Agesta Reactor, 130
of Na, in EBR-II, 130
primary coolant and makeup, for Indian Point Nuclear Power Station, 296-7
Reactor safety rods, design, 318-19
failure, 320
Reactor safety systems, 127-8
design, 183-4, 231-45
fast reactors, 262-3
Indian Point Nuclear Power Station, 294-5
monitoring, 411
operation, 183-4, 409-14
reliability, 240-1, 411-14
testing, 411

Reactor siting, 118-19
  power reactors, 374-80
Reactor steam generators, corrosion in BR-5, 130
Reactor steam leads, failure in Indian Point Nuclear Power Station, 297
Reactor superheaters, tube failure in Indian Point Nuclear Power Station, 297
Reactor transients, effects in SPERT program and PBF, 255-9
  pool-reactor out-of-pile loops, 118
  response to reactivity input in KEWB, 388-90
Reactor turbines, blade failure in EDF-1 and Latina Reactors, 130
  control for Indian Point Nuclear Power Station, 295
  operation in Humboldt Bay Reactor, 446
Reactor valves, malfunction in Big Rock Point Reactor, 222-3
Reactors, 118-19
  accidents, 80, 118-19, 121-5, 130-1, 263-4, 274-5, 318-20, 325, 408-14, 386-403, 451-4
  fission-product containment, 201-9
  fission-product release, 124-5, 149
  graphite oxidation, 40-1, 125
  HAPO, 350-1
  heat-transfer experiments, 171-9
  kinetics, 122, 392-8
  operation, 119, 130-1
  radiation exposure, 131, 133
  radiation monitoring, 126
  scram, 320
  subcriticality measurements, 184-5
  waste disposal, gaseous, 436-9
Reactors (Advanced Gas-Cooled), cooling, emergency, 427
Reactors (Agesta), pump failure, 130
Reactors (air-cooled), waste disposal, gaseous, 438
Reactors (Alizé I), incidents, 410, 413
Reactors (Arbeitsgemeinschaft Versuch), cooling, emergency, 429
  fuel integrity, 401
Reactors (Berkeley), fuel performance, 131
Reactors (Bi-cooled), void effects in fast, 335
Reactors (Big Rock Point), atmospheric contamination from, 82-3
  cooling systems, 54-5, 202-3, 206
  emergency cooling system, 54-5
  licensing and regulation, 98, 100, 220, 222-3, 301-2, 456
  safety system, 233
  valve malfunction, 222-3
  vibration, 130
Reactors (Bodega Bay), design of concrete containment structure, 198-9
  licensing and regulation, 98, 100
  siting, 376
Reactors (Boiling Nuclear Superheater), accident, 223-4
  cooling systems, 54-5, 202-7
  filter system, 208
  licensing and regulation, 98, 100, 220, 223-4, 301-2, 304, 456
  water-spray cooling, 174-5
Reactors (Boiling Reactor Experiment V), licensing and regulation, 100, 220, 302, 456
  thermal operating performance, 152
Reactors (boiling-water), control-rod drives, 127
  space-time analysis, 396
  stability, 131
  waste disposal, gaseous, 439
Reactors (BR-3), control using boric acid as poison, 126
Reactors (BR-5), bubbles on fuel, 321
  reactivity, 321
  steam-generator corrosion, 130
Reactors (Bradwell), fuel performance, 131
  operation, 130
Reactors (Brookhaven), waste disposal, gaseous, 438
Reactors (CABRI), power transients, 118
Reactors (Calder Hall), cooling emergency, 427
  instability examination using analog computer, 126
Reactors (CANDU), fuel performance, 123
Reactors (Carolinas-Virginia Tube), cooling system for core, emergency, 202-4
  filter system, 208
  licensing and regulation, 100, 220, 224, 302, 304, 454-6
  power loss, 184
Reactors (Centrale Nucleaire des Ardennes), underground containment, 267
Reactors (Commercial Advanced Gas-Cooled), integral pressure vessels, 119
Reactors (Connecticut Yankee), design of concrete containment structure, 198
  engineered safeguards, 376
  licensing and regulation, 98-100, 220, 302, 456
Reactors (CP-5), health physics, 138-41
Reactors (Dounreay), 317-18, 320-1
Reactors (Dragon), cooling, emergency, 429
Reactors (Dresden), atmospheric contamination from, 82-3
  control-rod-drive failure, 130-1, 183-4
  design of concrete containment structure, 198
  licensing and regulation, 99-100, 102, 220, 302, 304-5, 455-6
  safety system, 232-3
  thermal operating performance, 152
  waste disposal, gaseous, 439
Reactors (EDF-1), turbine-blade failure, 130
Reactors (EDF-3), containment, 127, 196, 198, 200
Reactors (EDF-4), containment, 127
Reactors (EL-3), fuel integrity, 402
Reactors (EL-4), fuel cladding, Be properties as, 124
Reactors (Elk River), atmospheric contamination from, 82-3
  cooling systems, 202-3, 206
  filter system, 208
  licensing and regulation, 100, 220, 302, 305, 455-6, 458
Reactors (Engineering Test), fuel integrity, 39, 399-400
Reactors (Experimental Beryllium Oxide), cooling, emergency, 430
Reactors (Experimental Boiling Water), fuel integrity, 398
  health physics, 139
  licensing and regulation, 100, 220, 302, 456
  thermal operating performance, 152
Reactors (Experimental Breeder I), 317
  excursion, 413
  fuel integrity, 399
Reactors (Experimental Breeder II), 317-21, 439
  fuel integrity, 398
  fuel meltdown in TREAT, 169-70
  fuel-processing-plant safety features, 128
  licensing and regulation, 100, 220, 302, 456
  Na-pump failure, 130
Reactors (Experimental Gas-Cooled), cooling systems, 54-5, 202-5, 207, 209, 427-8
  filter system, 207-8
  licensing and regulation, 100, 220, 302, 456
  safety system, 233
Reactors (fast), 118, 317-37
  control and instrumentation, 260-5
  fuel cladding, V-alloy properties as, 124
  kinetics, 122
  Na fires, 118
Reactors (Fermi), 317, 319-20
  fuel, high-burnup, 321
  fuel meltdown in TREAT, 170
  licensing and regulation, 100, 220, 224-5, 302, 456
  public acceptance, 379
  waste disposal, gaseous, 439
Reactors (Florida West Coast Nuclear Group), cooling, emergency, 430
Reactors (fog-cooled, development and heat transfer, 173-4
Reactors (FRM Munich Research), core flux control, 126
Reactors (Garigliano Power), safety system, 233
Reactors (G2 and G3), prestressed-concrete use in containment structures, 196
Reactors (gas-cooled), 118, 334-5
  cooling systems, emergency, 204, 425-31
  design of concrete containment structures, 200
  fuel integrity, UO_2, 401
  maximum credible accidents in French, 119
Reactors (GE 630A), cooling, emergency, 430
Reactors (graphite-moderated), cooling, emergency, 427-30
  maximum credible accidents in French, 119
Reactors (Halden Boiling Water), instrumentation, 126
  stability, 131
Reactors (Hallam), atmospheric contamination from, 82-3
  licensing and regulation, 100, 220, 225, 302, 456
  moderator cladding failure, 225
  Na boiling and condensing, 172-3
  vibration, 130
Reactors (Health Physics Research), accident analysis, 264
Reactors (Heat Transfer Reactor Experiment No. 3), incidents, 410, 413
Reactors (heavy-water), 118
  control-rod drives, 127
Reactors (Heavy Water Components Test), cooling system for container, 206
  filter system, 207-8
  fuel integrity, 38, 399-400
Reactors (He-cooled), 334-5
Reactors (High Flux Isotope), burnout, subcooled forced-convection, 154
Reactors (High Temperature Gas-Cooled), cooling, emergency, 428-29
Reactors (Humboldt Bay), atmospheric contamination from, 82-3
  cooling system for core, emergency, 202-4
  filter system, 208
  licensing and regulation, 100, 220, 302, 305, 456, 458-9
  operation, 441-51
  safety system, 233
Reactors (Hunterston), cooling, emergency, 427
  instability examination using analog computer, 126
Reactors (IBR), bearing failure, 130
Reactors (Indian Point Nuclear Power Station), atmospheric contamination from, 82-3
  containment, 195, 197-9, 209
  control-rod-drive failure, 131, 296
  control using boric acid as poison, 126
  cooling system for container, 206-7
  filter system, 208
  licensing and regulation, 100, 220, 225, 302, 305-6, 456, 459
  operation, 292-8
  safety system, 233
  waste disposal, gaseous, 438-9
Reactors (Japan Power Demonstration), cooling system, 127
  fission-product release, 127
  safety system, 233
Reactors (Japanese), control, spectral analysis in, 127

Reactors (JRR-2), ^{41}Ar release from, 129
Reactors (Juggernaut), health physics, 139
Reactors (K-East), safety systems, 242-3
Reactors (Kema), containment, 127
Reactors (Kinetic Experiments on Water Boilers), program, 386-95
Reactors (KIWI-TNT), effect on public opinion, 379
Reactors (L-77), switch malfunction, 183
Reactors (La Crosse Boiling Water), cooling systems, 54-6
  licensing and regulation, 101, 221, 303, 457
Reactors (Latina), accidents, 130-1
Reactors (liquid-metal-cooled), void effects, 335
  waste disposal, gaseous, 439
Reactors (Los Alamos Water Boiler), excursion, 413
Reactors (Lucens Experimental Nuclear Power Plant), containment, 127, 267
Reactors (Malibu), containment, 195, 198-9, 207, 209
  engineered safeguards, 376
  licensing and regulation, 101-3, 221, 303, 307, 457, 459
  siting, 376
Reactors (maritime), 120
Reactors (Marviken), control-rod drive, 127
Reactors (Materials Testing), fuel, 39, 399
Reactors (Mobile Low Power Plant No. 1), cooling, emergency, 430
  fuel integrity, 401
Reactors (NASA Plum Brook), containment-vessel leak tests, 70
  cooling systems, 54-5
Reactors (New Production), licensing and regulation, 101, 221, 303, 457
Reactors (Nine Mile Point), design of concrete containment structure, 198-9
  licensing and regulation, 101, 103, 221, 225-6, 303, 307-8, 457, 459-60
  safety system, 233
Reactors (NPD), cooling systems, 202-3, 205-6
  filter system, 208
  fuel performance, 123
  operation, 130
Reactors (NRU), ^{41}Ar release from, 129
Reactors (NRX), ^{41}Ar release from, 129
  excursion, 413
Reactors (N.S. *Savannah*), containment, multiple, 209
  filter system, 207-8
  licensing and regulation, 101, 103-4, 221, 303, 308-9, 457, 460
  radioiodine-removal-system testing, 277
  thermal operating performance, 152
Reactors (Oak Ridge Research), fuel integrity, 399, 401
  radiation monitoring, 419
Reactors (Oldbury), containment, 127, 196, 198, 200
Reactors (organic-cooled), burnout in boiling polyphenyls, 121
Reactors (Organic Moderated Reactor Experiment), fuel integrity, 398-9
Reactors (Oyster Creek Nuclear Power Station), design of concrete containment structure, 198-9
  licensing and regulation, 101, 104, 221, 226, 303, 309-11, 457, 460-1
  safety system, 233
Reactors (Pathfinder), licensing and regulation, 101, 104, 221, 303, 457, 461-3
Reactors (Peach Bottom), cooling system for core, emergency, 204-5
  fuel integrity, 401
  licensing and regulation, 101, 221, 226, 303, 311, 457, 463
Reactors (Piqua), atmospheric contamination from, 82-3
  licensing and regulation, 101, 104-5, 221, 303, 457
Reactors (PLUTO), radioiodine removal from containment shell, 275-6
Reactors (Plutonium Recycle Test), Al-Ni-Pu-alloy fuel testing, 39
  cooling systems, 202-3, 206
  fuel integrity, 400
Reactors (pool)
  See Reactors (water-moderated)
Reactors (Portable Medium Power Plant No. 1), fuel, radiation-induced failure, 39
Reactors (power)
  See also Systems for Nuclear Auxiliary Power
  Al-Pu fuel use in thermal, 39
  atmospheric contamination from, 81-7, 146-7
  construction, 119
  containment, 196-201
  control-rod drives, 127
  control using digital computers, 125-6
  cooling systems, 127-8, 202-3
  design, 119, 160-2
  design of concrete containment structures, 197-201
  engineered safeguards, 408-20
  filter systems, 207
  fuel-element performance, 123-4
  He-cooled fast, 335
  kinetics, 122
  licensing and regulation, 98-105, 219-27, 301-11, 454-64
  maintenance, 161
  operation, 119
  radioactivity release, 118
  regulations in USSR, 118
  reliability in space program, 160-4
  siting, 374-80
  space-time analysis, 395-8
  in Sweden, thermal, 145-6
  waste management in U. S., 128
Reactors (pressure-tube), fuel cladding, Zr-alloy and Zircaloy-2 properties as, 124
Reactors (pressurized-water), loss of coolant flow, 118
  waste disposal, gaseous, 438-9
Reactors (R3/Adam), underground containment, 267
Reactors (Rapsodie), accidents, 118, 325
Reactors (Ravenswood), containment-structure concrete, 195, 198-9
Reactors (research), 118
  fast startup, 126
  instrumentation, 126
  radioiodine-removal-system testing, 277
Reactors (Rheinisch-Westfalisches Elektrizitatswerk), safety system, 233
Reactors (Samenwerkende Electriciteits-Productiebedrijven), safety system, 233
Reactors (San Onofre Nuclear Generating Station), design of concrete containment structure, 198
  engineered safeguards, 376
  licensing and regulation, 101, 105, 221, 303, 311, 457, 463
Reactors (Savannah River Heavy Water Components Test), design of concrete containment structure, 200
Reactors (Saxton), control using boric acid as poison, 126
  cooling system for core, emergency, 202-3
  licensing and regulation, 101, 105, 221, 303, 457
Reactors (Shippingport Pressurized Water), fuel burnup, 164-6
  fuel integrity, 399
  licensing and regulation, 101, 221, 303, 457
  operation, 130, 152
  waste disposal, gaseous, 438-9
Reactors (Sizewell), fission-product detection from ruptured fuel, 126
Reactors (SNAPTRAN), transient tests, 377
Reactors (Na-cooled), 118, 317-37
  burnout, 153
  Na boiling and condensing, 172-3
Reactors (Sodium Reactor Experiment), control-rod thimble hydriding, 131
  fuel bowing, 39
  fuel failure, 131
  licensing and regulation, 101, 221, 303, 457
  loss of coolant flow, 131
  UO_2-fuel transient thermal behavior, 178-9
Reactors (Southwest Experimental Fast Oxide), Doppler coefficient, 322
  licensing and regulation, 457, 463-4
Reactors (Special Power Excursion Reactor Tests), fuel reaction with water in TREAT, 171
  program, 111, 255-8
  transient tests, 377
Reactors (Stationary Low Power Plant No. 1), accident, 89, 202, 413
Reactors (Stationary Medium Power Plant No. 1), fuel, radiation effects on, 39
  safety system, 233-4, 243-5
Reactors (Stationary Medium Power Plant No. 2), fuel, radiation-induced swelling, 39
Reactors (steam-cooled), 333-4
Reactors (superheat), fuel-cladding, steel (Ni) development for, 124
Reactors (Swedish), control-rod drives, 127
  thermal power, 145-6
Reactors (Target), cooling, emergency, 429-30
Reactors (Tokai), instability examination using analog computer, 126
Reactors (Transient Reactor Test Facility), description and programs, 169-71
  EBR-II fuel failure in, 320
Reactors (TTR-1), control using digital computer, 125
Reactors (Vallecitos Boiling Water), fuel integrity, 38, 400
Reactors (Vallecitos Experimental Superheat), licensing and regulation, 101, 221, 226-7, 303, 311, 457, 464
Reactors (water-cooled), coolant expulsion, 121
  cooling systems, 127-8
  core design, 334
  fission-product detection from ruptured fuel, 126-7
  fuel cladding, 124
  fuel integrity, UO_2, 399-400
  loss of coolant flow, 121
  transient boiling, 175
Reactors (water-moderated), 118
  control using boric acid as poison, 126
  cooling systems, emergency, 204, 430
Reactors (Windscale), excursion, 413
Reactors (Wylfa), containment, 127, 196, 198, 200
Reactors (Yankee), atmospheric contamination from, 82-3
  concrete use in containment structure, 195
  control using boric acid as poison, 126
  cooling system for core, emergency, 202-3
  filter system, 208
  licensing and regulation, 101, 221, 303, 457
  operation, 130, 152
  waste disposal, gaseous, 438-9
Reactors (Zenith), radioiodine release in container, 68-9
Reactors (Zero Power I), excursion, 413
Recording equipment, reliability, 162
Recuplex facility, accident at HAPO, 353
Reentry Flight Demonstration, 121
Refractory metal–uranium dioxide dispersion reactor fuels (irradiated), weld failure, 39-40
Regulations
  See also Licensing and Regulation
  power-reactor siting, 375
  power reactors in USSR, 118
  radiation exposure, 32-3

Regulations (Continued)
shipping of radioactive materials, 119-20, 249-53, 372
waste disposal, gaseous, 436
Reliability engineering and physics, 162-4
Reports, safeguards, 108, 228-9, 466-7
Third International Conference on the Peaceful Uses of Atomic Energy, 114-17
Research, 111, 118, 133
Resins (anion-exchange), radioiodine removal from air using, 277
Rhenium-187, maximum permissible concentration, 27
Rivers, waste disposal into, 89-94
Rocks, reactor containment in, 267-72
waste disposal in, 129
Rubidium (molten), burnout, 154, 158-9
Rubidium-87, maximum permissible concentration, 27

S

Safeguards (engineered), design, 408-11
fission-product containment in reactors, 201-9
use, 219, 222
Safeguards reports, 108, 228-9, 466-7
Safety engineering, ANL, 137
Sagebrush, sampling for ^{131}I, 89
Salt formations, waste disposal in, 129
Samarium-147, maximum permissible concentration, 27
Sampling
See Radiation monitoring
Sand, Th and UO_2 removal by, 129
Savannah River Plant, ^{131}I release and monitoring, 212-17
Scandinavia, pollution of atmosphere, 147-8
Scrubbers, radioiodine removal from air using, 277
use in hot cells, 73
Seawater, contamination, 129
Sedan shot, atmospheric sampling for fallout, 283-4
Separation (radiochemical), I-oxidation-state determination using, 274
Shale, waste disposal into, 129
Shipping, radioactive materials, 119-20, 249-53, 371-4
Ships (nuclear), 120
Small Boy shot, atmospheric sampling for fallout, 283-4
SNAP, 120-1
Sodium, boiling and condensing of reactor coolant, 172-3
fire extinguisher for, 43
fires in EBR-II, 319
loss effects in fast reactors, 322-4
pool boiling, 152-4, 176
Soils, radioisotope distribution in, in USSR, 129-30
Solar flares, radiation protection from, in space, 247-8
Soot, in atmosphere, 147
Space, 120-1
power-reactor reliability in, 160-4
radiation protection in, 246-9
Sprays, radioiodine removal from gases using, 277
reactor cooling using, 174-5, 205, 207, 209
removal of ^{131}I from reactor-containment structures using, 186-94
Springfield Project, results, 288
Stacks, monitoring of gases for radioiodine, 213, 216-17
plume rise, 1-18
Stainless steel, heat transfer from pipe to flowing water, 175
swaging effects on, as reactor-fuel cladding, 124
Stainless-steel–uranium dioxide dispersion reactor fuels (irradiated), failure of PM-1, 39
Stainless steel (347)–uranium dioxide dispersion reactor fuels (irradiated), swelling, 39
Stainless steel (347)–uranium mononitride dispersion reactor fuels (irradiated), damage, 39
Standards (nuclear), compilation by American Standards Association in 1964, 354
Starfish shot, ^{109}Cd distribution in atmosphere, 286
Steam, use of wet, as reactor coolant, 173-4
Steel, fatigue of reactor-component, 123
use, for hot-cell radiation shielding, 72
in reactor-containment structures, 195
Steel (irradiated), embrittlement, 118, 122-3
Steel (Ni), properties as reactor-fuel-cladding material, 124
Stemwinder Project, 284
Stratosphere
See also Atmosphere
circulation of lower, 286
^{90}Sr distribution in, 284
tritium pulses in, 129
Strontium, release from irradiated U and UO_2, 124
Strontium-89, concentration limits for release, 227
emergency exposure, 25
Strontium-90, body burdens in arctic natives, 130
concentration limits for release, 227
contamination of marine environment, 129
control at HAPO, 348
deposition from fallout, 287
distribution, in soils in USSR, 129-30
in stratosphere, 284
emergency exposure, 25
global distribution, 286
licensing and regulation, 465-6
maximum permissible concentration, 26-7, 30-1
Sulfur dioxide, in atmosphere, 146-9
Supersonic transport, radiation shielding, 247
Sweden, industry, licensing of emission-producing, 146-7
power reactors in, 145-6
Systems for Nuclear Auxiliary Power, 120-1

T

Tellurium, release from irradiated U and UO_2, 124
Tennessee, regulatory authority, 466
Terphenyl (ortho-), burnout, pool-boiling, 154
Thermal-gradient tubes, radioiodine measurement in gases using, 274
Third International Conference on the Peaceful Uses of Atomic Energy, 111-31
Thorium, removal by sand and vermiculite, 129
Thorium radioisotopes, removal from U-mill effluent, 282
Thorium reactor fuels, bowing in SRE, 39
Thorium reactor fuels (irradiated), stability, 39
Thorium-uranium carbide reactor fuels, oxidation, 40-1
Thyroid, allowable industrial exposure, 60
monitoring for ^{131}I, 89, 214
radioiodine dose to, 25
Titanium and titanium alloys, ignition, 43
Tracers, use in hydrologic studies, 93
Transducers, reliability, 162
Tritium, distribution in atmosphere, 284
measurement at CP-5 Reactor, 139
pulses in stratosphere, 129
release from reactors, 149
Trombay, India, waste disposal, 128

U

Union of Soviet Socialist Republics, power-reactor regulations, 118
radioisotope distribution in soils, 129-30
waste management, 128, 433-6
United Arab Republic, waste management, 129
United Kingdom, reactor fuels, shipping of irradiated, 119-20
reactor-siting policies, 378
United States, radiation dosage to public, environmental, 128
reactor accidents, 119
reactor fuels, shipping of irradiated, 119
reactor-siting policies, 377-8
research and development, 111, 118
waste management, 128, 433-6
Uranium, ignition, 41-2
oxidation, 42, 171
Uranium dioxide (irradiated), removal by sand and vermiculite, 129
Uranium dioxide reactor fuels (irradiated), behavior, 123, 178-9
burnup, 164-9
fission-product release, 68, 124-5, 127-8, 165-6, 168-9, 186
meltdown in TREAT, 170
performance in CANDU and NPD Reactors, 123
thermal conductivity, 123
transient effects in SPERT, 255-6
Uranium-fissium alloys, oxidation, 171
Uranium mills, airborne effluent, 282-3
waste disposal, 281-3
Uranium mines, waste disposal, 281
Uranium mononitride, oxidation, 43
Uranium radioisotopes, in U-mill effluent, 282-3
maximum permissible concentrations, 26-7
Uranium reactor fuels, fabrication plants, accident possibilities in, 57-65
quality, 38
Uranium reactor fuels (irradiated), damage, 123-4
failure, 38
fission-product release, 67, 124, 186
Uranium-zirconium alloys, reactions with water in TREAT, 171
Uranium-zirconium reactor fuels (irradiated), behavior, 38
Utilization facilities, licensing and regulation, 107-8

V

Vanadium alloys, properties as reactor fuel cladding, 124
Vaults (radioactive material), radiation-exposure potential at ANL, 133
Vegetation, monitoring for ^{131}I, 89, 214
Vermiculite, Th and UO_2 removal by, 129

W

Waste Monitoring Control Center, operation at ORNL, 416
Wastes
See also Fission products and Materials (radioactive)
disposal, at ANL, 142
ecological effects of, 80
into fresh water, 89-94
from reactors, 436-9, 450
recommendations for, 212
standards for, in U. S. and USSR, 433-6
from U mills, 281-3
from U mines, 281
handling systems, 422-5
HAPO, 348-9

management, 118, 128-9
release, 149
Water, ^{82}Br determination in, 130
heat transfer, 154-60, 175-6
reactions with metals and alloys in TREAT, 170-1
use, for hot-cell radiation shielding, 72
of spray as reactor coolant, 174-5, 205, 207, 209
Water (fresh), waste disposal into, 89-94
Water (sea), contamination, 129
Water (surface), ^{131}I release to, 213
monitoring for ^{131}I, 214
Weapons, fallout from tests of nuclear, conference on, 283-9
Whetlerite, methyl iodide removal from air using, 275
Windows, use of glass, for hot-cell radiation shielding, 72-3

X

X-ray machines, radiation-exposure potential at ANL, 133
Xenon, release from irradiated UO_2, 125

Y

Y-12 Plant, radiation excursion, 414

Z

Zircaloy, control-rod thimble hydriding in SRE, 131
Zircaloy-2, properties as reactor-fuel-cladding material, 124
Zirconium, fire extinguisher for and handling of, 43

LEGAL NOTICE

This journal was prepared under the sponsorship of the U. S. Atomic Energy Commission. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this journal, or that the use of any information, apparatus, method, or process disclosed in this journal may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this journal.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

Regulations (Continued)
shipping of radioactive materials, 119-20, 249-53, 372
waste disposal, gaseous, 436
Reliability engineering and physics, 162-4
Reports, safeguards, 108, 228-9, 466-7
Third International Conference on the Peaceful Uses of Atomic Energy, 114-17
Research, 111, 118, 133
Resins (anion-exchange), radioiodine removal from air using, 277
Rhenium-187, maximum permissible concentration, 27
Rivers, waste disposal into, 89-94
Rocks, reactor containment in, 267-72
waste disposal in, 129
Rubidium (molten), burnout, 154, 158-9
Rubidium-87, maximum permissible concentration, 27

S

Safeguards (engineered), design, 408-11
fission-product containment in reactors, 201-9
use, 219, 222
Safeguards reports, 108, 228-9, 466-7
Safety engineering, ANL, 137
Sagebrush, sampling for ^{131}I, 89
Salt formations, waste disposal in, 129
Samarium-147, maximum permissible concentration, 27
Sampling
See Radiation monitoring
Sand, Th and UO_2 removal by, 129
Savannah River Plant, ^{131}I release and monitoring, 212-17
Scandinavia, pollution of atmosphere, 147-8
Scrubbers, radioiodine removal from air using, 277
use in hot cells, 73
Seawater, contamination, 129
Sedan shot, atmospheric sampling for fallout, 283-4
Separation (radiochemical), I-oxidation-state determination using, 274
Shale, waste disposal into, 129
Shipping, radioactive materials, 119-20, 249-53, 371-4
Ships (nuclear), 120
Small Boy shot, atmospheric sampling for fallout, 283-4
SNAP, 120-1
Sodium, boiling and condensing of reactor coolant, 172-3
fire extinguisher for, 43
fires in EBR-II, 319
loss effects in fast reactors, 322-4
pool boiling, 152-4, 176
Soils, radioisotope distribution in, in USSR, 129-30
Solar flares, radiation protection from, in space, 247-8
Soot, in atmosphere, 147
Space, 120-1
power-reactor reliability in, 160-4
radiation protection in, 246-9
Sprays, radioiodine removal from gases using, 277
reactor cooling using, 174-5, 205, 207, 209
removal of ^{131}I from reactor-containment structures using, 186-94
Springfield Project, results, 288
Stacks, monitoring of gases for radioiodine, 213, 216-17
plume rise, 1-18
Stainless steel, heat transfer from pipe to flowing water, 175
swaging effects on, as reactor-fuel cladding, 124
Stainless-steel–uranium dioxide dispersion reactor fuels (irradiated), failure of PM-1, 39
Stainless steel (347)–uranium dioxide dispersion reactor fuels (irradiated), swelling, 39
Stainless steel (347)–uranium mononitride dispersion reactor fuels (irradiated), damage, 39
Standards (nuclear), compilation by American Standards Association in 1964, 354
Starfish shot, ^{109}Cd distribution in atmosphere, 286
Steam, use of wet, as reactor coolant, 173-4
Steel, fatigue of reactor-component, 123
use, for hot-cell radiation shielding, 72
in reactor-containment structures, 195
Steel (irradiated), embrittlement, 118, 122-3
Steel (Ni), properties as reactor-fuel-cladding material, 124
Stemwinder Project, 284
Stratosphere
See also Atmosphere
circulation of lower, 286
^{90}Sr distribution in, 284
tritium pulses,in, 129
Strontium, release from irradiated U and UO_2, 124
Strontium-89, concentration limits for release, 227
emergency exposure, 25
Strontium-90, body burdens in arctic natives, 130
concentration limits for release, 227
contamination of marine environment, 129
control at HAPO, 348
deposition from fallout, 287
distribution, in soils in USSR, 129-30
in stratosphere, 284
emergency exposure, 25
global distribution, 286
licensing and regulation, 465-6
maximum permissible concentration, 26-7, 30-1
Sulfur dioxide, in atmosphere, 146-9
Supersonic transport, radiation shielding, 247
Sweden, industry, licensing of emission-producing, 146-7
power reactors in, 145-6
Systems for Nuclear Auxiliary Power, 120-1

T

Tellurium, release from irradiated U and UO_2, 124
Tennessee, regulatory authority, 466
Terphenyl (ortho-), burnout, pool-boiling, 154
Thermal-gradient tubes, radioiodine measurement in gases using, 274
Third International Conference on the Peaceful Uses of Atomic Energy, 111-31
Thorium, removal by sand and vermiculite, 129
Thorium radioisotopes, removal from U-mill effluent, 282
Thorium reactor fuels, bowing in SRE, 39
Thorium reactor fuels (irradiated), stability, 39
Thorium-uranium carbide reactor fuels, oxidation, 40-1
Thyroid, allowable industrial exposure, 60
monitoring for ^{131}I, 89, 214
radioiodine dose to, 25
Titanium and titanium alloys, ignition, 43
Tracers, use in hydrologic studies, 93
Transducers, reliability, 162
Tritium, distribution in atmosphere, 284
measurement at CP-5 Reactor, 139
pulses in stratosphere, 129
release from reactors, 149
Trombay, India, waste disposal, 128

U

Union of Soviet Socialist Republics, power-reactor regulations, 118
radioisotope distribution in soils, 129-30
waste management, 128, 433-6
United Arab Republic, waste management, 129
United Kingdom, reactor fuels, shipping of irradiated, 119-20
reactor-siting policies, 378
United States, radiation dosage to public, environmental, 128
reactor accidents, 119
reactor fuels, shipping of irradiated, 119
reactor-siting policies, 377-8
research and development, 111, 118
waste management, 128, 433-6
Uranium, ignition, 41-2
oxidation, 42, 171
Uranium dioxide (irradiated), removal by sand and vermiculite, 129
Uranium dioxide reactor fuels (irradiated), behavior, 123, 178-9
burnup, 164-9
fission-product release, 68, 124-5, 127-8, 165-6, 168-9, 186
meltdown in TREAT, 170
performance in CANDU and NPD Reactors, 123
thermal conductivity, 123
transient effects in SPERT, 255-6
Uranium-fissium alloys, oxidation, 171
Uranium mills, airborne effluent, 282-3
waste disposal, 281-3
Uranium mines, waste disposal, 281
Uranium mononitride, oxidation, 43
Uranium radioisotopes, in U-mill effluent, 282-3
maximum permissible concentrations, 26-7
Uranium reactor fuels, fabrication plants, accident possibilities in, 57-65
quality, 38
Uranium reactor fuels (irradiated), damage, 123-4
failure, 38
fission-product release, 67, 124, 186
Uranium-zirconium alloys, reactions with water in TREAT, 171
Uranium-zirconium reactor fuels (irradiated), behavior, 38
Utilization facilities, licensing and regulation, 107-8

V

Vanadium alloys, properties as reactor fuel cladding, 124
Vaults (radioactive material), radiation-exposure potential at ANL, 133
Vegetation, monitoring for ^{131}I, 89, 214
Vermiculite, Th and UO_2 removal by, 129

W

Waste Monitoring Control Center, operation at ORNL, 416
Wastes
See also Fission products and Materials (radioactive)
disposal, at ANL, 142
ecological effects of, 80
into fresh water, 89-94
from reactors, 436-9, 450
recommendations for, 212
standards for, in U. S. and USSR, 433-6
from U mills, 281-3
from U mines, 281
handling systems, 422-5
HAPO, 348-9

management, 118, 128-9
release, 149
Water, ^{82}Br determination in, 130
heat transfer, 154-60, 175-6
reactions with metals and alloys in TREAT, 170-1
use, for hot-cell radiation shielding, 72
of spray as reactor coolant, 174-5, 205, 207, 209
Water (fresh), waste disposal into, 89-94
Water (sea), contamination, 129
Water (surface), ^{131}I release to, 213
monitoring for ^{131}I, 214
Weapons, fallout from tests of nuclear, conference on, 283-9
Whetlerite, methyl iodide removal from air using, 275
Windows, use of glass, for hot-cell radiation shielding, 72-3

X

X-ray machines, radiation-exposure potential at ANL, 133
Xenon, release from irradiated UO_2, 125

Y

Y-12 Plant, radiation excursion, 414

Z

Zircaloy, control-rod thimble hydriding in SRE, 131
Zircaloy-2, properties as reactor-fuel-cladding material, 124
Zirconium, fire extinguisher for and handling of, 43

LEGAL NOTICE

This journal was prepared under the sponsorship of the U. S. Atomic Energy Commission. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this journal, or that the use of any information, apparatus, method, or process disclosed in this journal may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this journal.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.